



T 12/1

Tehokas, kestävä ja erittäin hiljainen pölynimuri ammattilaiskäyttöön. Jämäkät varusteet, riittävä säiliökapasiteetti ja korkeatasoinen käyttömukavuus ilahduttavat päivittäisessä käytössä.

1 HEPA-suodatin.

- Valinnaisvarusteena saatava HEPA-suodatin varmistaa hygieenisen puhtaan poistoilman.

3 Jalalla käytettävä virtapainike on helppokäyttöinen ja ergonominen.

2 Sähköliitännä moottoroidulle harjasuuttimella.

- Moottoroidut harjasuuttimet ESB 28 ja ESB 34 tehostavat esim. mattopintojen imurointia.



T 12/1

- Pikakiinnitys.
- Sähköliitäntä ESB 28 moottoroidulle harjalle.
- Jalalla käytettävä virtapainike on helppokäyttöinen ja ergonominen.

Tekniset tiedot

Tuotenumero	1.355-100.0	
EAN koodi	4039784723320	
Ilman läpivirtaus	l/s	53
Alipaine	mbar / kPa	240 / 24
Säiliötilavuus	l	12
Maks. ottoteho	W	max. 800
Varusteiden halkaisija ID 51/61		35
Johdon pituus	m	12
Äänvoimakkuus	dB(A)	62
Äänitehotaso	dB(A)	75
Paino	kg	6,4
Mitat (p x l x k)	mm	410 × 315 × 340

Laite

Imuletku	m	2,5
	kpl / m	2 × 0,5 / Metall
Pölypussi		Fleece
Vaihdettava lattiasuulake	mm	285
Säiliön materiaali		Muovi
Helppo jatkoletkun clip-pikakiinnitys		■
Turvallisuusluokitus		II
		■

■ Toimituksen mukana.

T 12/1

1.355-100.0

KÄRCHER


		Tuotenumero	Määrä		Pituus	Leveys	Kuvaus	
Poistoilman suodatin								
Poistoilmansuodatin T 12/1 3 kpl.	1	6.414-802.0	3 kpl				Standard exhaust filter and diffusor for reducing filtered air. Made of foam.	■
Mootorinsuojasuodatin	2	6.414-611.0	5 kpl					■
Suodatinkori								
Suodatinkori T 15/1, T 12/1, T 17/1	3	5.731-640.0	1 kpl				Main filter basket for T 15/1, T 12/1 and T 17/1 can be used as a main filter with or without filter bag. Nylon-plastic frame, washable up to 40°C.	■
Hienopölysuodatin	4	4.731-011.0	1 kpl				Plastic frames with reinforced fleece material, washably to 40°C.	□
Fleece-pölypussit (3-kerroksiset)								
Filter bag fleece	5	6.904-315.0	10 kpl				Extremely tear-resistant, 3-ply fleece filter bags, dust class M. Fleece filter bags have 2 to 3 times the capacity of conventional paper filter bags. Standard for T 10/1 and T 12/1.	■
Filter bag fleece 200 pcs	6	6.904-321.0	200 kpl				Fleece filter bag, 3-ply, tear-proof, dust class M, large-scale consumer unit.	□
Taivutettu imutanko, muovia								
Elbow electrically conducting packaged N	7	2.889-148.0	1 kpl	ID 35				■
Lattiasuulakkeet, kuivaimointi								
Floor tool packaged NW35	8	2.889-129.0	1 kpl	ID 35		295 mm		■
Combination nozzle packaged basalt grey	9	6.907-410.0	1 kpl	ID 32		270 mm		□
Parquet nozzle packaged D360 NW35	10	2.889-196.0	1 kpl	ID 35		360 mm		□
Parquet nozzle packaged D300 NW35	11	2.889-197.0	1 kpl	ID 35		300 mm		□
Parquet nozzle packaged D360 DN32	12	6.905-078.0	1 kpl	ID 32		360 mm		□
Imutangot metallia								
Suction tube chromed NW35 - 505mm	13	6.902-074.0	1 kpl	ID 35	505 mm			■
Imuletkut täydellinen (Clip-system)								
Hose packaged NW35 2.5m	14	2.889-133.0	1 kpl	ID 35	2,5 m			■
HEPA-suodatin, pölyluokka H								
Filter HEPA	15	6.414-801.0	1 kpl				HEPA filter cassette (paper/plastic) - H 12 - increases filter capacity and improves exhaust air. Optional (with Professional version as standard) filter instead of exhaust filter cassette.	□
Filter packaged HEPA, H13	16	6.414-080.0	1 kpl					□
Paperinen pölypussi (kaksinkertainen)								
Paper filtering bag 10 St.	17	6.904-312.0	10 kpl				10 paper filter bags dust class M. Suitable for all T 12/1 models.	□
Filter bag paper neutrally 200 Stck.	18	6.904-318.0	200 kpl					□
Kankainen pölypussi								
Filter bag cloth	19	6.904-316.0	1 kpl				Cotton filter bags, washable up to 40°C, suitable for T7/1, T 10/1 and T 12/1 models.	□
Mootoroidut harjasuulakkeet								
Harjapää ESB 34-230 V	20	2.642-442.0	1 kpl	ID 32		340 mm		□

■ Toimituksen mukana. □ Saatavilla olevat varusteet.

T 12/1

1.355-100.0

KÄRCHER


		Tuotenumero	Määrä	ID	Pituus	Leveys		Kuvaus	
Harjapää ESB 28	21	2.641-815.0	1 kpl	ID 32		280 mm		Electric brush with suction hose, power cord and telescopic suction tube. For better dirt pick up from textiles. Also suitable for flexible and hard surfaces. For T 201 and T 12/1.	<input type="checkbox"/>
Rakosuulakkeet									
Crevice nozzle packaged NW35	22	2.889-130.0	1 kpl	ID 35	210 mm				<input type="checkbox"/>
Harjasuulakkeet									
HARJASUUTIN	23	6.903-887.0	1 kpl	ID 32		70 mm		Rotatable suction brush (DN 32 plastic) with PA bristles, 70x45 mm. Only for BV and T vacuum cleaners.	<input type="checkbox"/>
Turbosuulakkeet									
TURBOSUUTIN/HUONEKALU	24	2.860-113.0	1 kpl	ID 32		160 mm		Plastic turbo upholstery nozzle (DN 35/32, 160 mm) with reduction sleeve.	<input type="checkbox"/>
TURBOSUUTIN/LATTIA	25	2.860-114.0	1 kpl	ID 32		270 mm		Plastic turbo floor nozzle (DN 35/32, 270 mm) with reduction sleeve.	<input type="checkbox"/>
Sovitinkappaleet									
Letkujen liitoskappale	26	6.902-077.0	1 kpl	ID 32				Electrically non-conductive adapter with internal thread. For connecting two suction hoses without connectors. Suitable for DN 32 or DN 35.	<input type="checkbox"/>
Sovitin (putkisuutin)									
Sovitin DN 32 -35	27	6.902-083.0	1 kpl	ID 32				From DN 32 to DN 35: Plastic adapter (electrically non-conductive). Suitable for BV and T vacuum cleaners.	<input type="checkbox"/>
Supistin (putki - suutin)									
Supistin DN35 - DN32	28	6.902-072.0	1 kpl	ID 35				Reducer with internal connecting cone DN 32. Ideal for accessories from the industrial vacuum cleaner range in combination with industrial NT vacuum cleaners.	<input type="checkbox"/>
Supistin ja jatko-osasetti									
Supistin/sovitinsetti ID40/35, 35/32 muovia	29	2.860-117.0	1 kpl					DN 40/35, DN 35/32 (tube -> nozzle), plastic.	<input type="checkbox"/>

■ Toimituksen mukana. □ Saatavilla olevat varusteet.